

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

Г	APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
	09/681,674	05/18/2001	Yoshifumi Natsuyama	JP920000096US1	3666	
	7:	7590 12/28/2005			EXAMINER	
ANNE V. DOUGHERTY, ESQ.				RUDE, TIMOTHY L		
	3173 CEDAR ROAD YORKTOWN HEIGHTS, NY 10598			ART UNIT	PAPER NUMBER	
				2883		

DATE MAILED: 12/28/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
	09/681,674	NATSUYAMA, YOSHIFUMI				
Office Action Summary	Examiner	Art Unit				
	Timothy L. Rude	2883				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1) Responsive to communication(s) filed on 13 Oc	1) Responsive to communication(s) filed on 13 October 2005.					
2a)⊠ This action is FINAL . 2b)□ This	☐ This action is FINAL. 2b)☐ This action is non-final.					
3) Since this application is in condition for allowan	3) Since this application is in condition for allowance except for formal matters, prosecution as to the ments is					
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4)⊠ Claim(s) <u>1-7 and 9-16</u> is/are pending in the app	1 <u></u> -					
	4a) Of the above claim(s) <u>1-3,6 and 9-16</u> is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>4,5 and 7</u> is/are rejected.	- · · · - · · · · · · · · · · · · · · ·					
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or	election requirement.					
Application Papers						
9) The specification is objected to by the Examiner						
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of:						
a) ☐ All b) ☐ Some * c) ☐ None of: 1. ☐ Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No						
3. Copies of the certified copies of the priority documents have been received in this National Stage						
application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s)						
Notice of References Cited (PTO-892)	4) Interview Summary (
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (RTO-1449 or PTO/SB/08)	Paper No(s)/Mail Da 5) ☐ Notice of Informal Pa	te atent Application (PTO-152)				
Paper No(s)/Mail Date	6) Other:					
Potent and Trademark Office						

DETAILED ACTION

Claims

Claims 4 and 6 are amended. It is respectfully pointed out that Applicant's claim listing filed 13 October 2005 is improper. Withdrawn claim 6 shall be listed as withdrawn (e.g., withdrawn-amended). Future responses with improper claim listings may be considered non-responsive.

Election/Restrictions

Applicant's traverse of election by original presentation is acknowledged. The traversal is on the ground(s) that claim 6 is dependent upon claim 4, and claim 6 is not a different invention. This is not found persuasive because claim 6 was amended to include limitations drawn to a different species that did not even have support in the specification. Applicant may add claims as needed to pursue other subject matter of claim 6 that does not read on a non-elected species.

The requirement is still deemed proper and is therefore made FINAL.

Art Unit: 2883

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

1. Claims 4-5 and 7 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

As to claim 4, the recitation "resulting from a difference in coefficients of linear expansion between the glass substrates" is not consistent with the Specification. Please note that Specification, Page 7, Para [0035], cites a difference in coefficients of linear expansion between the circuit board and the glass substrates. Based upon the Specification, examiner considers the coefficient of linear expansion of the glass substrates to be one value and the coefficient of linear expansion of the circuit board to be a different value.

It is respectfully pointed out that Figure 6 clearly shows anchor holes, 16, for anchor pins, 24, that are some distance away from glass substrate, 42. Examiner cannot find any teaching as to how anchor holes and anchor pins can be remotely located from glass substrate, 42, and yet be in a path region of substantial propagation of stress therefrom. Examiner believes Specification, Page 7, Para [0035] to be a correct teaching.

Examiner anticipates the Applicant may correct the claim language, so for examination purposes, the present claim language is considered rejected under 35 U.S.C. 112, second paragraph, and the anticipated claim language shall be considered

Art Unit: 2883

to mean a difference in coefficients of linear expansion between the circuit board and the glass substrates wherein the coefficient of linear expansion of the glass substrates is one value and the coefficient of linear expansion of the circuit board is a different value.

Examiner suggests transposing the reference to the circuit board and the glass substrates to avoid indefiniteness, e.g., -- ... a difference in coefficients of linear expansion between the circuit board and the glass substrates of the liquid crystal display panel and wherein at least one pair ... -- . Please note that arguments as to whether the present claim language *can* be construed to read on the disclosed invention are moot. Claim language must *unambiguously* read on the disclosed invention while *not* reading on prior art.

As to claims 5 and 7, they are directly or indirectly dependent upon claim 4.

Rejections consistent with the anticipated claim language appear below.

Claims 4-5 and 7 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

As to claim 4, the limitations

"... at least one liquid crystal driver tape carrier package having input lead conductors and output lead conductors for connecting said electrodes of said glass substrates to said circuit board and mounting at least one liquid crystal driver chip between said input lead conductors and said output lead conductors,

Art Unit: 2883

wherein each said liquid crystal driver tape carrier package has two anchor holes located in a path region of substantial propagation of stress resulting from a difference in coefficients of linear expansion between the glass substrates comprising the liquid crystal display panel and the circuit board, said path region being located between the input lead conductors and the output lead conductors and wherein a pair of anchor holes on said liquid crystal driver tape carrier package area located with one of said at least one liquid crystal driver chip between said pair of anchor holes and wherein said circuit board has at least two anchor holes, ..."

are unclear. Please note that these new limitations place the "path region" between the input and output lead conductors and further places "two anchor holes" therein. Since the limitations place the "driver chip" also between the input and output lead conductors, that would seem to place the "two anchor holes" either through the "diver chip" or between the "driver chip" and the input and output lead conductors.

As to claims 5 and 7, they are directly or indirectly dependent upon claim 4.

For examination purposes, removal of these unclear limitations is anticipated.

Please note that arguments as to whether the present claim language *can* be construed to read on the disclosed invention are moot. Claim language must *unambiguously* read on the disclosed invention while *not* reading on prior art.

Rejections consistent with the anticipated claim language appear below.

Art Unit: 2883

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:


- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 4-5 are rejected under 35 U.S.C. 103(a) as being unpatentable over Muramatsu USPAT 6,191,838 B1 in view of Glaser et al (Glaser) USPAT 4,550,039.

As to claim 4, Muramatsu discloses in his third embodiment, [Figures 11 and 12, col. 10 line 66 through col. 13, line 6] a liquid crystal display panel comprising: a pair of glass substrates facing each other, each having electrodes for applying voltage to a liquid crystal material on a facing surface (typical); a circuit board, 10, for supplying said voltage; and a liquid crystal driver tape carrier package, [20, col. 11, lines 7-9 and col. 7, lines 1-3] for connecting said electrodes of said glass substrates to said circuit board and mounting at least one liquid crystal driver chip [col. 11, lines 7-9 and col. 7, lines 4-13], wherein said liquid crystal driver tape carrier package and said circuit board each have more than two anchor holes, [four of 26 and 14 respectively], and anchor pins, 48, are inserted into said anchor holes, whereby said liquid crystal tape carrier package is fixed to said circuit board [col. 11, lines 45-48], wherein said anchor holes are located in a path region of substantial propagation of stress resulting from a difference in coefficients of linear expansion between the circuit board and the glass substrates of

Art Unit: 2883

the liquid crystal display panel, and more than two anchor pins, 48, are inserted, one pin into each of said more than two anchor holes.

Figure 11



Muramatsu also discloses the liquid crystal display device wherein a pair of said anchor holes, 26, is located with said liquid crystal driver chip, 24, between [diagonally per Figure 11].

Muramatsu does not explicitly disclose a display wherein said liquid crystal driver tape carrier package is soldered to said circuit board via said pins.

Glaser teaches the use of soldering conductive pins [col. 3, lines 44-49 and col. 3, line 67 through col. 4, line 11] to make electrical connections with more efficient routing of lead wires [col. 1, line 67 through col. 2, line 5], provide a more rigid mount, and reduce the cost of manufacturing.

Therefore, it would have been obvious to one having ordinary skill in the art of liquid crystals at the time the invention was made to modify the LCD of Muramatsu with the soldering of conductive pins of Glaser to make electrical connections with more efficient routing of lead wires, provide a more rigid mount, and reduce the cost of manufacturing.

Page 8

As to claim 5, Muramatsu discloses the liquid crystal display device further comprising a light guide, [44 Applicant's frame], for allowing said anchor pins to stand on a surface holding said pair of glass substrates, wherein said liquid crystal driver tape carrier package and said circuit board are fixed to said frame.

3. Claim 7 is rejected under 35 U.S.C. 103(a) as being unpatentable over Muramatsu in view of Glaser, as applied to claims 4-5 above, and further in view of Yamagishi et al (Yamagishi) USPAT 5,771,158.

As to claim 7, Muramatsu in view of Glaser discloses the liquid crystal display device according to claim 5 comprising soldered conductive anchor pins.

Muramatsu in view of Glaser does not explicitly disclose a grounding conductor formed on said frame, and said conductive anchor pins are conductively connected to said grounding conductor.

Yamagishi teaches the use of a ground plane to reduce radiation emissions and avoid harmful interference with other electric appliances [col. 4, lines 44-65 and col. 3, lines 30-40].

Therefore, it would have been obvious to one having ordinary skill in the art of liquid crystals at the time the invention was made to modify the LCD of Muramatsu in view of Glaser with the ground plane of Yamagishi to reduce radiation emissions and avoid harmful interference with other electric appliances.

Response to Arguments

4. Applicant's arguments filed on 13 October 2005 have been fully considered but they are not persuasive.

Applicant's ONLY arguments are as follows:

- (1) Rejection of claim 4 under 35 U.S.C. 112, second paragraph, is overcome by the amendment to claim 4.
- (2) The pins of Muramatsu are not located in a path region of substantial propagation of stress resulting from a difference in coefficients of linear expansion between said glass substrates and said circuit board. The combination does not teach the same structure.
 - (3) Muramatsu has other structure that is not planar and would cause stress.
- (4) Glasser discloses the use of non-conductive insulating materials around the connector pins which would not permit the claimed soldering.

Application/Control Number: 09/681,674 Page 10

Art Unit: 2883

(5) Dependent claims are allowable for the same reason(s) as the independent claims.

Examiner's responses to Applicant's ONLY arguments are as follows:

- (1) It is respectfully pointed out that, examiner maintains rejection of claim 4 under 35 U.S.C. 112, second paragraph, per rationale above.
- (2) It is respectfully pointed out that the pins of Applicants claimed invention do not penetrate the glass substrates. They merely penetrate the tape carrier package, circuit board, and optionally a frame. Muramatsu teaches a configuration where pins penetrate such items, and the glass substrates are constrained by other means whereby, according to Applicant's enabling disclosure, the pins would be located in a path region of substantial propagation of stress resulting from a difference in coefficients of linear expansion between said glass substrates and said circuit board. This is not improper hindsight. Applicant's enabling disclosure confirms that the structure of Muramatsu in view of Glaser would have the claimed properties since the pins are located astride the circuit lines of the tape carrier package as claimed. Applicant's claims as presently written and broadly interpreted are met by the applied prior art.
- (3) It is respectfully pointed out that Applicant's claims are in comprising format and therefor do not preclude the additional structure of the applied prior art. Also, Applicant does not presently claim planar structure. Please note that Applicant's anchor pins do not penetrate the substrates; the mere fact that there is a bend in the tape

Art Unit: 2883

carrier [typically what tape carriers are used for] would not decouple or create in plane stresses.

- (4) It is respectfully pointed out that Glaser teaches the motivation of simplifying wiring which would entail circuit design changes that one of ordinary skill in the art would obviously know to solder to the pins. Also, Yamagishi teaches the use of a ground plane to reduce radiation emissions and avoid harmful interference with other electric appliances. Yamagishi as applied, would also provide the metal to which the pins would be soldered with motivation to combine.
- (5) In so far as Applicant has not argued rationale for rejection of dependent claims, Applicant has thereby acquiesced. Examiner believes to have responded to all Applicant's substantive arguments.

Conclusion

Applicant's amendment necessitated any new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any

Art Unit: 2883

extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Timothy L. Rude whose telephone number is (571) 272-2301. The examiner can normally be reached on Mon-Thurs.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Frank G. Font can be reached on (571) 272-2415. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

M

+1-

Timothy L Rude Examiner Art Unit 2883

Brian Healy

Primary Exeminer